

NATIONAL TECHNICAL ASSISTANCE CENTER

**Creating Violence Free and Coercion Free Service Environments
For the Reduction of Seclusion and Restraint**

**Trauma Informed Care –
An Overview of Fundamental Concepts
(A Primary Prevention Tool)**

References

American Psychiatric Association. (2000). *Diagnostic and statistical manual of mental disorders (DSM IV-TR), fourth edition*. Washington, DC: APA.

Arroyo, W(2001). PTSD in children and adolescents in the juvenile justice system. S. Eth (Ed.) PTSD in Children and Adolescents, Review of Psychiatry Series, Volume 20, Number 1; Oldham JM and Riba, MB, series editors (59-86). Washington DC: American psychiatric Publishing.

Beail N & Warden S, (1995), Sexual abuse of adults with learning disabilities, Journal of Intellectual Disabilities, Oct:39 (Pt 5): 382-7.

Blatt B (1970). Exodus from Pandemonium. Boston: Allyn and Bacon.

Blatt B & Kaplan F (1966). Christmas in Purgatory. Boston: Allyn and Bacon.

Bloom, S. (Summer/Fall 2002). Creating sanctuary. *networks*, p. 1. Alexandria, VA: National Technical Assistance Center, National Association of State Mental Health Program Directors.

Carmen, E., Crane, B., Dunicliff, M., Holochuck, S., Prescott, L., Reiker, P., Stefan, S., & Stromberg, N. (1996). *Massachusetts Department of Mental Health, Task Force on the Restraint and Seclusion of Persons Who Have Been Physically or Sexually Abused: Report and recommendations*. Boston, MA: Massachusetts Department of Mental Health.

Center for Mental Health Services (CMHS) & Human Resource Association of the Northeast (HRANE). (1995, July). *Dare to vision, shaping the national agenda for abuse and mental health services*. Proceedings of a conference in Arlington, VA.

Chesney-Lind, Meda and Randall G. Shelden. (1992). *Girls, Delinquency and Juvenile Justice*. Pacific Grove, CA: Brooks/Cole

Charlton et al, (2004). Facts on traumatic stress and children with developmental disabilities. National Child Stress Network: Adapted Trauma Treatment Standards Work Group, Subgroup on Developmental Disabilities, Durham, NC and Los Angeles, CA

Cook, J. A., Jonikas, J. A., & Laris, A. (2002). *Increasing self-determination: Advance crisis planning with mental health consumer inpatient and other settings*. Chicago, IL: University of Illinois at Chicago Mental Health Services Research Program.

CSAT/SAMHSA, 2000, <http://www.csat.samhsa.gov/>

Cusack, K. J., Frueh, B. C., Hiers, T. G., Keane, T. M., & Mueser, K. T. (Unpublished paper). *The impact of trauma and Posttraumatic Stress Disorder upon American society, Report to the President's Commission on Mental Health*.

Cusack, K. J., Frueh, B. C., Bray, KT (2004) Trauma history screening in a community mental health center, *Psychiatric Services*, 155:157-162.

DOC, Juvenile Justice Recidivism Baseline Report for 1998.

Dedicated External Female Offender Review, Governor's Task Force, Commonwealth of Ma., 2005

Fallot, R., & Harris, M. (2002). *Trauma informed services: A self-assessment and planning protocol 1-5*. Unpublished papers. Washington, DC: Community Connections.

Felitti, V. J., Anda, R. F. & Nordenberg, D. (1998). Relationship of Childhood abuse and household dysfunction to many of the leading causes of death in adults. The adverse childhood experiences (ACE) study. *American Journal of Prevention Medicine*, 14, 245-258.

Ford, J. (2003, January 17). *Trauma Adaptive Recovery Group Education and Therapy (TARGET)*. Retrieved from www.traumamatters.org/documents/TARGET--JulianFord.pdf on January 17, 2003.

Garbino, J. (1999). *Lost boys: Why our sons turn violent and how we can save them*. New York: Free Press.

Garland AF et al, (2001). Prevalence of psychiatric disorders in youths across five sectors of care. *Journal of the American Academy of Child and Adolescent Psychiatry*, 40, 409-418

Giller, E. (1999). *What is psychological trauma?* Sidran Institute.

Gilligan, J. and Lee, B. (2004). *Beyond the Prison Paradigm: From Provoking Violence to Preventing It by Creating "Anti-Prisons" (Residential Colleges and Therapeutic Communities)*. *Ann NY Acad Sci*. 1036: 300-324.

Goodman, L. A., Dutton, M. A., & Harris, M. (1997). The relationship between violence dimensions and symptom severity among homeless mentally ill women. *Journal of Traumatic Stress, 10*:51-70.

Governor's Commission on Correctional Reform: Report and Recommendations, Commonwealth of Ma, October 25, 2005.

Harvey, H. G., Brant, R. A., & Tarrier, N. (2003). Cognitive behavior therapy for posttraumatic stress disorder. *Clinical psychology review, 23*:501-522

Herman, J., Perry, C., & van der Kolk, B. (1989, April). Childhood trauma in Borderline Personality Disorder. *Am J Psychiatry, 164*(4), 490-495.

Herman, J. (1992). *Trauma and recovery: The aftermath of violence – from domestic abuse to political terror*. New York, NY: Basic Books.

Hodas, G.R. (2004). *Understanding and responding to childhood trauma: Creating trauma informed care*. Unpublished paper. Pennsylvania Office of Mental Health and Substance Abuse Services.

Jennings, A. F. (1998). Women's mental health services: A public health perspective. In B. L. Levin, A. K. Blanch, & A. Jennings (Eds.), *Being Invisible in the Mental Health System, 15*:326-347.

Jennings, A. F. (2004). The Damaging Consequences of Violence and Trauma: Facts, Discussion points, and Recommendations for the Behavioral Health System, 19. Alexandria, VA. National Association of State Mental Health Program Directors (NASMHPD)/National Technical Assistance Center (NTAC).

Jennings, A. F., & Ralph, R. O. (1997). *In their own words, trauma advisory groups report*. Augusta, ME: Maine Department of Mental Health and Mental Retardation and Substance Abuse Services.

Linehan, M. (1993). *Skills training manual for treating borderline personality disorder*. New York: Guilford Press

Lipschitz, D. et al. (1999). Posttraumatic Stress Disorder in hospitalized adolescents: Psychiatric comorbidity and clinical correlates. *J. Am. Acad. Child Adolesc. Psychiatry, 38*:385-392.

Massachusetts Department of Mental Health, (2001), Medical Record Survey, Child and Adolescent Psychiatric Inpatient Programs, *DMH Restraint and Seclusion Reduction Initiative*, Lebel J & Stromberg N

Maine Department of Behavioral and Developmental Services (Maine BDS). (2000). Unpublished seclusion- and restraint-related documents. Augusta, ME: Maine BDS.

Mueser, K. T., Goodman, L. A., Trumbetta, S. L., et al. (1998). Trauma and posttraumatic stress disorder in severe mental illness. *Journal of Consulting and Clinical Psychology*, 66:493-499.

Mueser, K. T., Salyers, M. P., Rosenberg, S. D., Goodman, L. A., Essock, S. M., Osher, F. C., Swartz, M. S., & Butterfield, M. (in press). Interpersonal trauma and posttraumatic stress disorder in patients with severe mental illness: Demographic, clinical, and health correlates. *Schizophrenia Bulletin*.

Najavits, L. (2003, January 17). *Seeking safety*. Retrieved from www.seekingsafety.org/3-02%20arts/training%20in%20SS-s.pdf

National Association of State Mental Health Program Directors (NASMHPD). (1998). *Executive summary: Responding to the behavioral healthcare issues of persons with histories of physical and sexual abuse*. Alexandria, VA: National Association of State Mental Health Program Directors.

NASMHPD/NTAC. (2004/Fall). E-Report on recovery. *Networks*. Retrieved from the Internet on November 12, 2004 @ http://www.nasmhpd.org/spec_e-eport_fall04intro.cfm

Prescott, L. (2000, April 28). *Veterans of abuse and daughters of the dark: The politics of naming and risk of transformation in building partnerships for change*. Keynote address, 2nd annual convention of the International Society of Psychiatric Mental Health Nurses, Miami, FL.

Rosenberg, S. D., Mueser, K. T., Friedman, M. J., Gorman, P. G., Drake, R. E., Vidaver, R. M., Torrey, W. C., & Jankowski, M. K. (2001). Developing effective treatments for posttraumatic disorders among people with severe mental illness. *Psychiatric Services*, 52, 1453-1461.

Ross, C., Miller, S., Reagor, P., Bjornson, L., Fraser, G., & Anderson, G. (1990). Structured interview data on 102 cases of Multiple Personality Disorder from four centers. *J Psychiatry*, 147, 596-601.

Ryan, R (2000, November) Health Promoting Medication Use, Circle of Health, Clinical Services to Persons with Developmental Disabilities, Retrieved on May 21, 2006 from <http://cspdd.org/h-healthpr.php>

Saigh PA, Yasik et al, (1999), Child-adolescent posttraumatic stress disorder: prevalence, risk factors and comorbidity In Saigh, Bremner (Eds.), *Posttraumatic Stress Disorder: A Comprehensive Text* (pp18-43). Boston:Allyn and Bacon

Saltzman et al (2001), Trauma and grief focused intervention for adolescents exposed to community violence: results of a school-based screening and group treatment protocol. *Group Dynamics: Theory, Research, and Practice*, 5, (4), 291-303.

Saxe, Ellis, Kaplow, Grant, Tames. (2004) *Boston University Medical Center*

Schwab-Stone, ME et al, (1995). No Safe Haven: A study of violence exposure in an urban community. *Journal of the American Academy of Child and Adolescent Psychiatry*, 34(10), 1343-1352.

Sobsey D & Doe T (1991). Patterns of sexual abuse and assault. *Sexuality and Disability*, 9 (3): 243-259.

Teplin, LA et al, (2002). Psychiatric disorders in youth in juvenile detention. *Archives of General Psychiatry*, 59, 1133-1143.

Terr LC. (1991, Jan). Childhood traumas: an outline and overview. *Am J Psychiatry*. Jan;148(1):10-20. Review.

Triffleman EG, Marmar CR, Elucchi KL, Ronfeldt, H, *Journal of Nervous and Mental disorders*, March;183(3):172-6

White C, Holland E, Marsland D & Oakes P (2003) The identification of environments and cultures that promote the abuse of people with intellectual disabilities: a review of the literature. *Journal of Applied Research in Intellectual Disabilities* 16 1-9.

Widom, CS(1995). Victims of childhood sexual abuse – Later criminal consequences. National Institute of Justice: Research in Brief. Washington DC:US Department of Justice, Office of Justice Programs

Zlotnick,C.(1997). Posttraumatic stress disorder, PTSD comorbidity and childhood abuse among incarcerated women. *Journal of Nervous and Mental Disease*, 12, 761-763.

Zlotnick, C., Najavits, LM, Rohsenow, DJ (2003). A cognitive-behavioral treatment for incarcerated women with substance abuse disorder and posttraumatic stress disorder: findings from a pilot study. *Journal of Substance Abuse Treatment*, 25, 99-10
National Trauma Consortium, 2004.

Related Bibliography

Note: The following publications and products were also utilized to create the NTAC Trauma Informed Care training module, but were not directly cited in the presentation.

American Psychiatric Association. (1994). *Diagnostic and statistical manual of mental disorders (DSM IV), fourth edition*. Washington, DC: APA.

Bluebird, G. (2001). *De-escalation preference form*. South Florida State Hospital. Retrieved May 2, 2004 from

http://www.nasmhpd.org/general_files/publications/ntac_pubs/networks/De-EscalationForm.pdf

Briere, J. (1995). *The trauma symptom checklist for children manual*. Odessa, FL: Psychological Assessment Resources.

Buhrich, N., Hodder, T., and Teesson, M. (2000). Prevalence of Cognitive Impairment Among Homeless People in Inner Sydney. *Psychiatr Serv.* 51: 520-521

Craine, L. S., Henson, C. E., Colliver, J.A., et al. (1988). Prevalence of a history of sexual abuse among female psychiatric patients in a state hospital system. *Hospital and Community Psychiatry*, 39, 300-304.

Cohen, J., Deblinger, E., Mannarino, A., & Steer, R. (2004, April). A multisite, randomized controlled trial for children with sexual abuse-related PTSD symptoms. *J. Am. Acad. Child Adolesc. Psychiatry*, 43(4) 393-402.

Donnelly, C. (2003): Pharmacologic treatment approaches for children and adolescents with posttraumatic stress disorder. Laor, N. and Wolmer, L. (guest editors): *Child and Adolescent Psychiatric Clinics of North America: Posttraumatic Stress Disorder*, 12 (2). Philadelphia: W.B. Saunders, 251-269.

Fishkind, A. (2002, April). Calming agitation with words, not drugs. 10 commandments for safety. *Current Psychiatry*, 1(4).

Foa, E. et al. (1997). The validation of a self-report measure of posttraumatic stress disorder: The Posttraumatic diagnostic scale. *Psychological Assessment*, 9:445-451.

Foa, E. et al. (2001). Child PTSD symptom scale (CPSS): Validation of a measure for children with PTSD. *Journal of Clinical Child Psychology*, 30:376-384.

Ford, J., Gregory, F., Mckay, K., and Williams, J. (2003). Close to home: A report on behavioral health services for children in Connecticut's juvenile justice system. Farmington, CT: Child Health and Development Institute.

Frueh, B. C., Dalton, M. E., Johnson, M. R., et al. (2000). Trauma within the psychiatric setting: Conceptual framework, research directions, and policy implications. *Administration and Policy in Mental Health*, 28(2):147-154.

Greenfield, S. F., Strakowski, S. M., Tohen, M., et al. (1994). Childhood abuse in first-episode psychosis. *British Journal of Psychiatry*, 164: 831-834.

Harris, M. (1998). *Trauma recovery and empowerment: A clinician's guide for working with women in groups*. New York, NY: The Free Press.

Huckshorn, K. (2001). Seclusion- and restraint-related documents. Unpublished. South Florida State Hospital, Pembroke Pines, FL.

Hutchings, P. A., & Dutton, M. A. (1993). Sexual assault history in a community mental health center, clinical population. *Community Mental Health Journal, 29*:59-63.

Jacobson, A. (1989). Physical and sexual abuse assault histories among psychiatric outpatients. *American Journal of Psychiatry, 146*:755-758.

Jacobson, A., & Richardson, B. (1987). Assault experiences of 100 psychiatric inpatients: Evidence of the need for routine inquiry. *American Journal of Psychiatry, 144*:508-513.

Kessler, R. C., Sonnega, A., Bromet, E., et al. (1995). Posttraumatic Stress Disorder in the national co-morbidity survey. *Archives of General Psychiatry, 52*:1048-1060.

Kilpatrick, D. G., Saunders, B. E., Smith, D. W. (2001). *Research in brief: Child and adolescent victimization in America: Prevalence and implications*, pp. 163-186. Washington DC: American Psychiatric Press, Inc.

LeBel, J. & Goldstein, R. (2005, September). The economic cost of using restraint and the value added by restraint reduction or elimination, *Psychiatric Services, 56*(9): 1109-1114.

Lewandowski, L. et al. (1994). Psychological aspects of acute trauma: Intervening with children and families in the inpatient setting. *Child Adolesc Psychiatr Clin North Am, 3*:513-529.

Mann, L. S., Wise, T. N., & Shay, L. (1993). A prospective study of psychiatry patients' attitudes toward the seclusion room experience. *General Hospital Psychiatry, 15*, 177-182

Martinez, R. J., Grimm, M., & Adamson, M. (1999). From the other side of the door: Patient views of seclusion. *Journal of Psychosocial Nursing, 37*(3), 13-22.

Massachusetts Department of Mental Health (DMH). (2001). Unpublished seclusion- and restraint-related documents. Boston, MA: Massachusetts Department of Mental Health.

Mental Health Association in New York State (MHANY), & New York State Office of Mental Health (NYOMH). (1995). *Proceedings from the forum on individuals diagnosed with serious mental illness who are sexual abuse survivors*. Albany, NY: New York State Office of Mental Health.

Mohr, W. K., Petti, T. A., Mohr, B. D. Adverse effects associated with physical restraint. *Canadian Journal of Psychiatry; (2003, June), Vol. 48, Issue 5*.

National Association of State Mental Health Program Directors (NASMHPD). (1999, July 13). *NASMHPD position statement on seclusion and restraint*. Alexandria, VA: National Association of State Mental Health Program Directors.

National Mental Health Association. (2002). *Toolkit on psychiatric advance directives*. Alexandria, VA: NMHA.

The President's New Freedom Commission on Mental Health, (2003). *Achieving the Promise: Transforming Mental Health Care in America. Executive Summary*. DHHS Pub. No. SMA-03-3831. Rockville, MD.

Ray, N. K., Myers, K. J., & Rappaport, M. E. (1996). Patient perspectives on restraint and seclusion experiences: A survey of former patients of New York State psychiatric facilities. *Psychiatric Rehabilitation Journal*, 20, 11-18.

Read, J., Agar, K., Argyle, N., & Aderhold, V. (2003) Sexual and physical abuse during childhood and adulthood as predictors of hallucinations, delusions and thought disorder. *Psychol Psychother*. Mar;76(Pt 1):1-22.

Rose, S. M., Peabody, C. G., & Stratigeas, B. (1991). Undetected abuse among intensive case management clients. *Hospital and Community* 42: 499-503.

Saakvitne, K., Gamble, S., Pearlman, L. A., & Tabor Lev, B. (2001). *Risking Connection®: A training curriculum for working with survivors of childhood abuse*. New York, NY: Sidran.

Saxe, Read, J., Agar, K., Argyle, N., & Aderhold, V. (2003) Sexual and physical abuse during childhood and adulthood as predictors of hallucinations, delusions and thought disorder. *Psychol Psychother*. Mar;76(Pt 1):1-22.

Smith, P., Fox, L., Johnson, L., McCormick, M., Nihart, M. A., Scmiar, N., & Schindler, M. (2002). *Professional assault response training*. San Clemente, CA: Privately published.

Stein, M. D., Walken, J. R., Javen, A. L. et al. (1997). Full and partial posttraumatic stress disorder: Findings from a community survey. *American Journal of Psychiatry*, 154: 1114-1119.

GN, Stoddard, F, Sheridan R, Kassam-Adams, M, Courtney D, Cunningham K, King L, King D, (2003). The Child Stress Disorders Checklist: A Measure of ASD and PTSD in Children. *Journal of the American Academy of Child and Adolescent Psychiatry*, 42, 972-979.

U.S. Department of Health and Human Services (USDHHS). (1999). *Mental health of the nation: Report of the Surgeon General (SMA01-3613)*. Office of the Surgeon General, Public Health Service. Washington, DC: U.S. Government Printing Office.

Visalli, H., McNasser, G., Johnstone, L., & Lazzaro, C. (1997, February). Reducing high-risk interventions for managing aggression in psychiatric settings. *J Nurs Care Qual*, 11(3):54-61.

Wadeson, H., & Carpenter, W. (1976). Impact of the seclusion room experience. *Journal of Nervous and Mental Disease*, 163, 318-328.

Zibelin, J. C., & DuBois, S. (2001). *Therapeutic communication: Talk about problems*. Unpublished training curricula. Nashville, TN: Middle Tennessee Mental Health Institute, Department of Mental Health and Developmental Disabilities.